

ANNEXURE-A

The Tender shall furnish the following details along with the enclosure in technical Offer.

Sl. No	Particulars	Details to be furnished by the firm.	YES /NO
1.	EMD of Rs.3,67,000/- to be paid along with the tender in e-Procurement portal by following modes: i) Credit Card ii) Debit Card iii) NEFT iv) Over the counter		
2.	The Manufacturer or Dealer's Manufacturer should submit relevant valid ISO certificate for Manufacturing of Water Saver Products	(1) Certificate No.-----and its (2) Validity----- (Copy of certificate to be enclosed in English version)	
3.	The tenderer shall furnish recent valid life cycle test or Accelerated endurance test report issued by FCRI for having tested the same specification of offered.	Copy of certificate/report to be enclosed in English version	
4.	Tenderer shall submit the technical details of the meter offered.	Technical details are to be submitted.	
5.	The Tenderer should be a Manufacturer who must have manufactured, and supplied the water saving Aerators with maximum flow rate of 3LPM similar to the type, size and complexity as specified in the schedule of requirements up to at least 4,00,000nos in any one of the last three years(i.e (2021-22 to 2023-24) (necessary supply orders performance certificates and FCRI test reports are to be enclosed).	Particular year during which the stipulated supplies are made with details are to be furnished in Annexure-"C" Copies of supply orders and performance certificates issued by the consignee/Third Party Inspection Certificates are to be enclosed, in the absence of which the tenders will not be considered for further evaluation.	
6.	The tenders of tenderers quoting as authorized representative(Dealer)/ agent of a Manufacturer meeting with the above requirements in full will also	Particular year during which the stipulated supplies are made with details are to be furnished	

	be considered provided: i) The manufacturer furnishes authorization in the prescribed format assuring full guarantee and warranty obligations as per the conditions of contract. ii) The tenderer as authorized representative(Dealer) should have supplied satisfactorily at least 1,50,000 Nos of Aerator with maximum flow rate of 3LPM similar to the type,size and complexity specified in the schedule of requirements in any one of the last three financial years (2021-22 to 2023-24) (Necessary supply orders, performance certificate and FCRI test reports are to be enclosed.	in Annexure-“C” Copies of supply orders and performance certificates issued by the consignee/Third Party Inspection Certificates are to be enclosed, in the absence of which the tenders will not be considered for further evaluation.	
	If the Tenderer be a Micro & Small Enterprises who should enclose relevant Certificate issued by Competent Authority, in the absence of which the tenderers will not be considered for further evaluation. If the Tenderer be a Micro & Small Enterprises who must have manufactured and supplied the Aerator with maximum flow rate of 3LPM similar to the type, size and complexity as specified in the schedule of requirements upto at least 2,00,000nos of Aerator with maximum flow rate 3LPM in any one of the last two financial years (2022-23 to 2023-24) (Necessary supply orders, performance certificate and FCRI test reports are to be enclosed).	Copy of certificate/report to be enclosed in English version Copies of supply orders and performance certificates issued by the consignee/Third Party Inspection Certificates are to be enclosed, in the absence of which the tenders will not be considered for further evaluation.	
7.	The Tenderer (Manufacturer/Dealer) should possess an minimum financial turnover of the tender should be Rs.489.30 Lakhs during the last 3preceding financial years (2021-22 to 2023-24).	Respective Balance Sheets are to be enclosed along with a Certificate issued by a Chartered Accountant.	

	As per G.O.No.FD 908 Exp-12/2019 Bengaluru Dtd:21.07.2020 for Micro & Small Enterprises the minimum financial turnover should be Rs.122.35 Lakhs during the at least 2 preceding financial years (2022-23 to 2023-24).		
8.	The tenderer should demonstrate the availability of liquid assets and availability of credit facility of not less than Rs.73.40 Lakhs (Credit line/letter of credit/Certificates from Nationalizes/scheduled Bank).	Tenderer should submit the Banker's certificate invariably indicating tender No. and the prescribed amount.	
9.	The Tenderer shall possess an Assessed Available Tender Capacity (AxN-B) not less than 5,00,000Nos Aerator with maximum flow rate of 3LPM where, A= Licensed capacity for manufacturing of Aerator. N= Number of years prescribed for completion of supplies for which tenders are invited. ie.,12months B=No. of existing commitments to be supplied during the next one year	Certificate issued by Ministry of Micro, Small & Medium Enterprises, Govt of India, District Industries Centre or by any relevant Govt. Organization concerned with industries is to be enclosed. YES/NO If No, the offer of the tenderer will not be considered for further evaluation.	
10.	Tenderer shall provide the sample Aerator of same type/brand offered in the tender at the time of submission of	With supporting test certificates issued by FCRI should be attached.	
11.	Tenderer shall agree to all terms and conditions of the tender	Yes/No. If not agreed, the tender will be rejected outright.	

**Signature of the Tenderer
Engineer(Project)**

BWSSB

Chief

Sd/-

GENERAL TERMS AND CONDITIONS OF CONTRACT

1.	Tenders through KPP-Portal in two cover system one for Technical Bid and the other for Financial Bid are invited for the supply of 5,00,000 Nos. of Water Saving Aerator with maximum flow rate of 3LPM. The eligibility for the Aerator with maximum flow rate of 3LPM offered is as below:- The Tenderer should be a Manufacturer /Authorised Dealer should submit relevant valid ISO certificate for manufacturing of Water saver Products. The eligibility for the Bidders is as follows: 1) The Tenderer should be a Manufacturer who must have manufactured and supplied the water saving Aerators with maximum flow rate of 3LPM similar to the type, size and complexity as specified in the schedule of requirements up to at least 4,00,000nos in any one of the last three years(i.e (2021-22 to 2023-24) (necessary supply orders performance certificates and FCRI test reports are to be enclosed). 2) The tenders of tenderers quoting as authorized representative(Dealer)/ agent of a Manufacturer meeting with the above requirements in full will also be considered provided: i. The manufacturer furnishes authorization in the prescribed format assuring full guarantee and warranty obligations as per the conditions of contract. ii. The tenderer as authorized representative(Dealer) should have supplied satisfactorily at least 1,50,000 Nos of Aerator with maximum flow rate of 3LPM similar to the type,size and complexity specified in the schedule of requirements in any one of the last three financial years (2021-22 to 2023-24) (Necessary supply orders, performance certificate and FCRI test reports are to be enclosed. 3) If the Tenderer be a Micro & Small Enterprises who should enclose relevant Certificate issued by Competent Authority, in the absence of which the tenderers will not be considered for further evaluation. If the Tenderer be a Micro & Small Enterprises who must have manufactured and supplied the Aerator with maximum flow rate of 3LPM similar to the type, size and complexity as specified in the schedule of requirements upto at least 2,00,000 Nos. of Aerator with maximum flow rate 3LPM in any one of the last two financial years (2022-23 to 2023-24) (Necessary supply orders, performance certificate and FCRI test reports are to be enclosed).
----	---

- 4) The Tenderer (Manufacturer/Dealer) should possess an minimum financial turnover of the tender should be Rs.489.30 Lakhs during the last 3preceding financial years (2021-22 to 2023-24).
As per G.O.No.FD 908 Exp-12/2019 Bengaluru Dtd:21.07.2020 for Micro & Small Enterprises the minimum financial turnover should be Rs.122.35 Lakhs during the at least 2 preceding financial years (2022-23 to 2023-24).
- 5) The tenderer should demonstrate the availability of liquid assets and availability of credit facility of not less than Rs.73.40 Lakhs (Credit line/letter of credit/Certificates from Nationalizes/ scheduled Bank).
- 6) The Tenderer shall possess an Assessed Available Tender Capacity (AxN-B) not less than 5,00,000Nos Aerator with maximum flow rate of 3LPM.
- 7) The Aerators water flow test should be certified by FCRI at different bar pressure upto 5bar water pressure on the pipeline. The water flow rate shall be ascertained by the consumers at different flow rates of 2LPM, 3LPM 4LMP, 5LPM(litres per minute) at 0.5 to 5Bar pressure. The technology used inside the aerator shall be to adjust the water flow rate to required flow rate at different bar pressure.
- 8) As per Indian Plumbing Association standards, the supplied aerators should be 3 star rated.
- 9) The Aerator should be made of Polyoxy Methlene or any equivalent material, relevant certificates to be submitted.
- 10)The washer should be made of Ethylene Propylene Diene Monomer (EPMD)/ Nit rile butadiene rubber NBR or any equivalent material a type of synthetic Rubber. Relevant certificates to be submitted.
- 11)Aerator material testing as per IS9845:1998-Overall Migration of Constituents of Plastics Materials and Articles intended to come in contact with Foodstuffs/ water by NABL Accredited Lab.
- 12) Aerator Testing as per I9833:2014 for pigments and colourants for use in plastics in contact with foodstuffs, Pharmaceuticals & drinking water. Specific migration of heavy metals by NABL accredited lab.

The last date & time for receipt of tenders is 14.8.2024 before 15:00P.M.

The tendering will be in Electronic Mode submitted through KPPP only as follows:

The Technical bid shall contain the following:-

1. TECHNICAL BID:

- i) Annexure-A duly filled and signed.
- ii) Relevant IS: Certificates as per Annexure-A.
- iii) Technical details of the Aerator offered. Technical bid shall contain full references and particulars of the type of the Aerator offered. For having agreed to supply Aerator as per Tender, Annexure-B shall be duly filled and

	signed. iv) Details of earlier supplies in the format appended vide Annexure-C (copies of supply orders and performance certificates from the consignee/III Party Inspection certificate shall be enclosed). v) Turn over Certificates vi) Banker's Certificate vii) The Tenderer shall furnish details to arrive at the Assessed Available Tender Capacity (statement showing the existing commitments as well as the stipulated period of completion remaining for each supplies listed duly countersigned by the Employer should be enclosed). viii) Manufacturer participating in the tender should furnish the location of their own workshop with test bench facilities in India to take up repairs/ replacement and testing of Aerator. <u>2. FINANCIAL BID:</u> The Financial Bid consists of Schedule "B" in which the rate has to be offered shall be only in Electronic mode.
2.	Tenders received without E.M.D. will be rejected outright. The E.M.D. amount so deposited by the successful tenderer will be refunded only after submission of performance security in the form of irrevocable Bank Guarantee issued by a Nationalized/Scheduled Bank, in a sum equivalent to 5% of the contract value of Aerator with maximum flow rate of 3LPM Aerator as per Clause-17 of the tender.
3.	The Technical bids will be opened by the Chief Engineer (Project) at 12.00 Hrs on 17.8.2024 in the presence of the firms representatives/authorized agents who may be present at the time. If for any reason, the tenders cannot be opened on the said date and time, the next date and time of opening will be intimated to the representatives present.
4.	The submission of the tender by the tenderer implies that he has read the terms and conditions of the contract and has made himself aware of the scope and specification of the Aerator.
5.	<u>Validity of the offer:</u> The Tenderer should keep his offer open at least for a period of 90 days from the date of opening of the tender, and if necessary for a further period as desired by the Chief Engineer (Project), BWSSB, Bangalore-560 009.
6.	<u>Rate to be offered:</u> (a) The rate should be legibly uploaded in figures. (b) The rate quoted for supply of Aerator with maximum flow rate of 3LPM shall be inclusive of GST, license fee, Transit Insurance, Transportation, Unloading, Stacking F.O.R. Central Stores, C.J.F, Malleswaram, Bangalore-560 012. (c) The rate quoted shall remain "Firm" till the supply of the entire quantity as per Schedule-B. During the contract period the supplier shall not be entitled to any enhancement in the rate on account of rise in the price of raw materials, electricity tariff, diesel, oil, statutory levies etc., or due to any other reason whatsoever. (d) In case, if additional quantities of Aerator over and above the quantities noted in the Schedule are required during the period of contract, the Supplier shall be bound to supply the said quantities at the accepted rates upto 25% of tendered quantity. Likewise, the tendered quantity can be curtailed to an extent of upto 25%. (e) The supplier shall be entirely responsible for GST, license fees, Transit

	Insurance, Transportation, Unloading, Stacking for Central Stores, C.J.F, Malleshwaram, Bangalore-560 012 etc., incurred until the delivery of Aerator to for stores.
8.	<u>Evaluation of the tenders:-</u> a) The financial bids of only such tenderers who are technically responsive will only be considered. b) In case, if L-1 rates are offered by more than one firm, then the L-1 firm will be decided by means of Lucky Draw.
9.	<u>Delays in the supplier's performance:-</u> (i) The maximum time allowed for completion of Aerator supply with maximum flow rate of 3LPM is 12 Months from the date of supply order and the supplier shall regularly intimate the progress of supply to the purchaser regarding the quantity offered for inspection and date. (ii) However, the time schedule shall be indicated at the time of agreement. The Supply Schedule should be promptly adhered to. (iii) If, at any time, during performance of the contract, the supplier should encounter conditions impeding timely delivery of the Aerator and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its causes. As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may, at its discretion extend the suppliers time for performance with or without liquidated damages. (iv) Except for the delay in an event of Force Majeure (an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable) a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to be imposition of liquidated damages, pursuant Clause-10 unless an extension of time is agreed upon pursuant to Clause 9 (iii) without the application of liquidated damages. (v) If any defective pieces are found, the same has be replaced at the cost of the tenderer and no additional cost will be paid towards the same.
10	<u>Liquidated Damages Clause:-</u> Failure on the part of the supplier to make supply as per the Supply Schedule indicated will be construed as a breach of contract, and the purchaser shall deduct from the contract price as Liquidated Damages, a sum equivalent to 0.5% of the delivered price of the delayed Aerator for each week or part thereof of delay until actual delivery, up to a maximum deduction of 10% of contract price. Once the maximum is reached, the purchaser may consider termination of the contract.
11	<u>Termination for Default:-</u> (i) The purchaser may without prejudice to any other remedy for breach of contract by a written notice of default sent to the supplier, terminate the contract in whole or part:- (a) If the supplier fails to deliver any or all of the goods within the period specified in the contract or within any extension thereof granted by the purchaser pursuant to Clause-9. (b) If the supplier fails to perform any obligation under the contract. (c) If the supplier in the judgment of the purchaser has engaged in corrupt or fraudulent practices in competing for or in executing the contract.

	(ii) In the event purchaser terminates the contract in whole or in part pursuant to Clause-11(i) the purchaser may procure up on such terms and in such manner as it deems appropriate, Aerator similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar Aerator. However, the supplier shall continue the performance of the contract to the extent not terminated.
12	<u>Termination for Convenience:</u> (i) The purchaser by written notice sent to the supplier may terminate the contract in whole or in part, at any time, for its convenience. The notice of termination shall specify the termination is for the purchaser convenience, the extent to which performance of the supplier under the contract is terminated and the date upon which such termination becomes effective. (ii) The Aerator that are complete and ready for dispatch within thirty days after the supplier's receipt of notice of termination shall be accepted by the purchaser at the Contract Terms and Prices, for the remaining quantity of Aerator, the purchaser may elect:- (a) to have any portion completed and delivered at the Contract Terms and Prices and/or (b) to cancel the reminder and pay to the supplier an agreed amount for partially completed Aerator.
13	<u>Guarantee Clause:-</u> Deleted
14	<u>Insurance:-</u> Deleted
15	<u>Mode of Payment:-</u> (a) 100% of the total price of Aerator supplied will be released within 60 days after the receipt of Aerator at Divisional stores. (b) All payments will be made in Indian currency. (c) No alterations/modification in the mode of payment is acceptable.
16	<u>Testing of Aerator:</u> The Aerator to be supplied shall strictly conform to the specification given in the Schedule.
17	<u>Performance Security:-</u> Within 20 days of the receipt of award from the Purchaser, the tenderer shall furnish a Performance Security in the form of irrevocable Bank Guarantee from a Nationalised/Scheduled Bank in a sum equivalent to 5% of the contract price. If not, the EMD deposited by the tenderer shall be forfeited. The performance security shall be valid upto 60 days after the date of completion of performance obligation as per Clause-13 of GTC and the purchaser shall refund the same after the satisfactory completion of the supplies, in a complete manner; the Security Deposit shall not bear any interest.
18	<u>Legal Clause:-</u> (a) Conditional Tenders are rejected outright. (b) The Chief Engineer (Project) reserves the right to accept or reject any or all tenders without assigning any reason whatsoever. Even if the Tenderer meets all eligibility and qualification criteria, his tender shall be summarily rejected, if he is found to have misled or made false representation in the form of any of the statements submitted in proof of the eligibility and

	qualification requirement or if he has a record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history or financial failures etc., (c) In the event of any dispute arising out of this contract, the decision of the Chief Engineer (project), BWSSB is final on both the parties. (d) The Contract shall in all respects be construed and operative as per the provisions of Indian Contract Act, Sale of Goods Act-1930 and in conformity with Indian Law and is subject to the jurisdiction of Bangalore City Civil Courts only. (e) The enquiry along with the appended schedules shall form part and parcel of the agreement, which is executed after acceptance of the tender.
19	<u>Agreement:-</u> Agreement in the prescribed format shall be executed between successful tenderer and the Chief Engineer(project), BWSSB, III Floor, Cauvery Bhavan, Bangalore-9, within 21 days from the date of communication of approval of his/their tender, failing which the E.M.D. shall stand forfeited.
20	The Tenderer should invariably fill in the Annexure-A, B, C and D (only in case of Dealers) appended to the technical bid affixing their seal and signature.

Sd/-

**Signature of the Tenderer
Engineer(Project)**

Chief

BWSSB

ANNEXURE-B

Technical Specification of water saving Aerator with maximum flow rate of 3LPM.

Sl. No	Particulars	To be affirmed by the Firm by Yes/No or Details
1.	The aerators water flow test should be certified by FCRI at different bar pressure upto 5bar water pressure on the pipelines. The water flow rate shall be ascertained by the consumers at different flow rates of 2LPM, 3LPM, 4LPM, 5LPM at 0.5 to 5 bar pressure. The technology used inside the aerator shall be to adjust the water flow rate to required flow rate at different bar pressure.	Test certificate issued by FCRI shall be enclosed.
2.	As per Indian plumbing Association standards, the supplied aerators should be 3bar rated.	
3.	The Aerator should be made of Polyoxy Methlene or any equivalent material, relevant certificates to be submitted..	
4.	The washer should be made of Ethylene Propylene Diene Monomer (EPDM)/ Nitrile butadiene rubber NBR or any equivalent material a type of type of synthetic Rubber. Relevant certificates to be submitted.	
5.	Aerator material testing as per IS 9845:1998-overall Migration of constituents of plastics materials and Artoc;es Intended to come in contract with Food stuffs/water by NABL Accredited Lab.	
6.	Aerator Testing as per IS 9833:2014 for pigments and colourants for use in plastics in contact with foodstuffs, pharmaceuticals and drinking water, specific Migration of Heavy Metals by NABL Accredited lab	
7.	Technical details of the Aerator offered should be submitted.	

Signature of the Tenderer

**Sd/-
Chief Engineer (Project)
BWSSB**

ANNEXURE- C

Proforma for Performance Statement for the year..... during which 5,00,000 Nos. of water saving Aerator with maximum flow rate of 3 LPM are supplied.

Tender No. BWSSB/CE(P)/ACE (Cstr&DCW)/ /2024-25 dated:
Date of Opening: Time 17:00hrs.

Name of the Firm.....

Orders placed by (Full address of Purchaser)	Order No. and Date	Quantity of water saving Aerator with maximum flow rate of 3 LPM ordered	Qty. of water saving Aerator with maximum flow rate of 3 LPM supplied	Performance Certificate issued by the Purchaser to the extent of supplies made (attach a certificate from the purchaser)
1	2	3	4	5

Signature of the Tenderer

**Sd/-
Chief Engineer(Project)
BWSSB**

ANNEXURE - D

MANUFACTURER'S AUTHORIZATION FORM

No.....

Dated:.....

To

Dear Sir,

Tender No. BWSSB/CE(P)/ACE(Cstr&DCW)/

/2024-25, Dated:

We _____ who are established and reputable manufacturers of water saving Aerator with maximum flow rate of 3 LPM having factories at _____ (address of factory) do hereby authorize M/s _____ (Name and address of Agent) to submit a tender and sign the contract with you for water saving Aerator with maximum flow rate of 3 LPM manufactured by us against the above Tender No. **BWSSB/CE(P)/ACE(Cstr&DCW)/ /2024-25, Dated:**

No company or firm or individual other than M/s _____ are authorized to tender and conclude the contract for water saving Aerator with maximum flow rate of 3 LPM manufactured by us, against Tender **BWSSB/CE(P)/ACE(Cstr&DCW)/ /2024-25, Dated:**

We hereby extend our full guarantee and warranty as per **Clause-13** of the General Terms and Conditions of Contract for supply of water saving Aerator with maximum flow rate of 3 LPM by M/s _____ against Tender **BWSSB/CE(P)/ACE(Cstr&DCW)/ /2024-25 Dated:**

Your's faithfully,

(Name of the Manufacturer)

Note :

This letter of authority should be on the letter head of the manufacturer and should be signed by a person competent and having the power of attorney to legally bind the manufacturer. It should

Be included by the Tenderer in its tender.

SCHEDULE-"B"

Sl. No	Particulars	Unit	Qty in Nos	Rate per Unit Price (in Rs.)	Amount (in Rs.)
1	Procurement of water saving Aerator with maximum flow rate of 3 LPM (Max flow rate below 3LPM at different bar water pressure upto 5 bar) with Washer & flow style of spray/shower mode, made up of Plastic suitable for all taps with 22mm dia meter threaded shells aerator option (M24/F24 threaded taps), with Anti clogging filter screen filtering sediments and particles for at Central Stores, Malleshwaram.	Nos	5,00,000		

Note : -

Rate quoted should be per aerator inclusive of GST, License fees, transit Insurance, Transportation, Unloading, Stacking for Central Stores, Malleswaram, Bangalore. (Please quote the rate including taxes in the KPPP and show tax details in the break up).

Signature of the Tenderer**Engineer(Project)****Sd/-****Chief****BWSSB**



BANGALORE WATER SUPPLY AND SEWERAGE BOARD

No. BWSSB/CE(P)/ACE(Cstr&DCW)/
Engineer (Project),

/2024-25 Dt:

Office of the Chief

Cauvery Bhavan, Bangalore-

560009

The Chief Engineer (Project), Bangalore Water Supply & Sewerage Board, Bangalore-560 009 invites short term tender through KPP Portal from reputed Manufacturers/ Authorised Dealers for Supply of 5,00,000 Nos of Water Saving Aerator in two cover system (One for Technical Bid and another for Financial Bid) who have the following requisite qualification are eligible to quote their offer:

1) The Tenderer should be a Manufacturer /Authorised Dealer should submit relevant valid IS certificate for manufacturing of Water saver Products.

2) a) The Tenderer should be a Manufacturer who must have manufactured and supplied Water Saving Aerator with maximum flow rate of 3LPM similar to the type, size and complexity as specified in the schedule of requirements upto at least 4,00,000 Nos. in any one of the last three years(i.e 2021-22 to 2023-24(necessary supply orders and Performance Certificates and FCRI test reports are to be enclosed). OR

b) The tenders of tenderers quoting as authorized representative/agent of a manufacturer meeting with the above requirements in full, will also be considered provided:

(i)The manufacturer furnishes authorization in the prescribed format assuring full guarantee and warranty obligations as per conditions of contract.

(ii)The tenderer as authorized representative should have supplied satisfactorily atleast 1,50,000Nos. of Water Saving Aerator with maximum flow rate of 3LPM similar t the type size and complexity specified in the schedule of requirements in any one of the last three years (i.e.2021-22 to 2023-24)(necessary supply orders and performance certificates FCRI test reports are to be enclosed). OR

C) In case of Micro, Small & Medium Enterprises, tenderer should enclose relevant certificate issued by Competent Authority in the absence of which the tenderer will not be considered for further evaluation.:-

If the tenderer be a Micro & Small Enterprises who must have manufactured and supplied the Aerator with maximum flow rate of 3LPM similar to the type, size an d complexity as specified in the schedule of requirements upto at least 2,00,000

Nos. of Aerator with maximum flow rate of 3LPM in any one of the last Two years(i.e 2022-23 to 2023-24)(necessary supply orders and performance certificates and FCRI test reports are to be enclosed).

3) The tenderer (Manufacturer/ Dealer) should possess a minimum financial turnover of Rs.489.30 Lakh during the last three preceding

financial years(2021-22 to 2023-24).OR

b) As per Govt Order No. FD 908 Exp-12/2019 Bengaluru dtd:21.07.2020 for Micro & Small Enterprises:-

The Tenderer should possess a minimum financial turnover ofRs.122.35 Lakh during the last two preceding financial years(2022-23 to 2023-24).

4) The tenderer should demonstrate the availability of liquid Assest and availability of credit Facility of not less than Rs.73.40Lakh(credit Line/ Letter of Credit/ certificates from Nationalized/ Scheduled Bank).

5) The tenderer shall demonstrate the Assessed Available Tender Capacity as follows (AxN-B) not less than supply of 5,00000nos of Aerator with

maximum flow rate of 3LPM

A-Licensed capacity for manufacturing of Aerator.

N- number of years prescribed for completion of supplies for which tender are invited ie., 12months.

B- Number of existing commitments to be supplied during the next one year.

Sl.No	Particulars	Amount Put to tender	Earnest Money Deposit	Contract Period
1	Procurement of 5,00,000nos of Water saving Aerator with maximum flow rate of 3LPM	Rs.2,44,65,000/-	Rs.3,67,000 /-	12 Months

Tender documents may be downloaded through KPP Portal www.kppp.karnataka.gov.in website only from 30.07.2024.to 14.08.2024 before 15.00 Hrs and the Technical Bids will be opened on 17.08.2024. at 12.00 Hrs

The Board reserves the right of accepting or rejecting any of the tenders without assigning any reasons thereof.

Further details can be obtained from this office during the working hours.

Corrigendum / Modification / Corrections, if any will be published in the website only.

Chief Engineer(Project)